







NVS

National Visual Systems

Architectural Signage Products





PAGE
INTRODUCTION ••• 1
INTERIOR SIGNS ••• 2-3
ADA SIGNS · · · · · 4
DIRECTORIES •• 5-11
LETTERS • • • • 12-16
CAST PLAQUES · · · · 17-18
CODE SIGNS · · · · 19
MISC. EXTERIOR SIGNS ••• 20
POST & PANEL SIGNS · · · · · · 21
MONOLITHS · · · · · · · · · · · · · · · · · · ·
GRAPHICS · · · · · 23
ORDERING INFORMATION ••• 24

National Visual Systems provides a wide range of exterior and interior architectural signage to meet the needs of government, business and commercial enterprises. This catalog presents an array of our products, but it is not a definitive listing of our capabilities and design systems. If you want signage or lettering that you do not find in this catalog, please contact us. We can help develop your idea into a finished product.

This catalog has been arranged by general product types, showing both standard and customized examples. The text describes these products and introduces some of the innovative features and options that are available.

General information and ordering procedures are provided in the last section of this catalog. Please call us at (714) 891-2670 or (800) 788-2670, or fax us at (714) 898-9034 if you have questions, new ideas, would like a sales presentation or would like to place an order.

ABOUT OUR COMPANY...

National Visual Systems was established by experienced signage professionals to satisfy a need in the marketplace for quality interior and exterior signage, directories, bulletin boards and all types of letters at an affordable price.

<u>N/V/S</u> National Visual Systems

- Architectural Signage Products

Over the years, National Visual Systems has evolved into a highly respected and responsible signage manufacturing company that responds to customer needs and provides excellent customer service. We are a one stop signage source. We cantinue to grow in size and expand upon our products and capabilities.

National Visual Systems is committed to manufacturing technically innovative, superior quality products that are competitively priced.



We are specialists in providing signage products for:

- Federal Government Facilities
- City, County, State Facilities
- Sign Companies
- Schools, Colleges, Universities
- Office Buildings, Industrial Parks
- Shopping Centers
- Parking Structures

- Religious Institutions
- Hospitals/Health Care Facilities and Senior Centers
- Hotels/Motels
- Parks/Recreation Facilities
- Restaurants
- Airports

Our extensive product line and other specialized services are used by:

- Purchasing Agents
- Contracting Officers
- Asset Managers
- Developers
- Facility Engineers
- Property Managers
- Interior Designers
- Facility/Space Planners
- Architects/Specifiers
- General Contractors

National Visual Systems is an approved vendor and a prime signage contractor to the United States Federal Government. We have a Federal GSA Contract, Contract Number GS-07F-0328K, with a geographic coverage of the 48 contiguous states and the District of Columbia. Our approved SIC Codes are:

Primary SIC Code: 3993, Signs and Advertising Specialties

Secondary SIC Code: 2499, Wood Products; 3953, Marking Devices; 5099, Durable Goods; 7389, Business Services

We are a member of many associations including NESA (National Electric Sign Association). We also have an impressive reference list of major projects completed. Names of satisfied clients in virtually every market segment can be supplied upon request.

In addition to quality products, NVS is equipped to provide a wide range of services including:

- Estimates/Quotations Speedy proposals and cost estimates to meet your specifications.
- Planning & Studies Project planning to assure timely and efficient design and implementation.
- **Design Services** An experienced design staff to incorporate your ideas and needs into products that will project your image, provide function, minimize maintenance cost and last for years.
- Installation Professional management and performance of job site installations.
- \bullet $Follow\mbox{-}Up$ Follow-up to assure complete satisfaction and after sales service.


INTERIOR SIGNS

ACRYLIC PLAQUES

NVS plaques are an attractive, functional choice for traditional or contemporary interiors.

Features & Options: (Please specify each of the following when ordering)

- Constructed of 1/8", 1/4", or 1/2" matte or gloss acrylic.
- · Radius or square corners.
- Straight, bevelled or bullnose edges. See chart below.
- Optional aluminum frame in clear satin, dark bronze, or black finish
- Ceiling mounted units, projected wall mounted units and desk signs are available.
- Colors see page 23 •
- Graphics see page 23
- Mounting Methods see below
- Custom sizes, configurations and colors are available.



Mounting Methods

- A. Wall mounting with adhesive tape or velcro
- B. Wall mounting with screws.
- C. Projected wall flag mounting with metal bracket.
- D. Ceiling mounting with metal bracket.



205

COLUMBIA SAVINGS CHRYSLER FIRST VISTA SUITE

Changeable plaque signs offer elegance combined with an easy, low cost way to make copy changes. By mounting plaques to a permanent backplate, copy changes are made simply by replacing a plaque not the entire sign.

CHANGEABLE PLAQUE SIGNS

Features & Options: (Please specify each of the following when ordering)

- Constructed of a 1/8" acrylic backplate with 1/8", 1/4", or 1/2" acrylic changeable plaques.
- 1/8", 1/4" reveal or no reveal between plaques.
- Radius or square corners.
- Straight, bevelled or bullnose edges. See chart above.
- Optional aluminum frame in clear satin, dark bronze, or black finish.
- Ceiling mounted units, projected wall mounted units and desk signs are available.
- Colors see page 23 Graphics see page 23
- Mounting Methods see above
- Custom sizes, configurations and colors are available.

12" x 12" CP-1212

9" x 18" CP-918 9" x 9" CP-99

6" x 9" CP-69

6" x 12" CP-612

INTERIOR SIGNS

140 - F

AWS Roofing &


Waterproofing Consultants

WINDOW SIGNS with changeable strips

Easy, quick and low cost way to handle frequent copy changes.

Features & Options: (Please specify each of the following when ordering)

- Constructed of 1/16" acrylic face laminated to a 1/8" acrylic background.
- Clear plastic changeable inserts are 1" high x the length of the sign.
- Colors see page 24
- Mounting Methods see page 2
- Radius or square corners.
- Straight, bevelled or bullnose edges. See page 2.
- Optional aluminum frame in clear satin, dark bronze, or black finish.
- Ceiling mounted units, projected wall mounted units and desk signs are available.
- Custom sizes, configurations and colors are available.
- Graphics see page 23



A2W2

Gloria Pacella, R.N.

580

Realty Executives

The Americans with Disabilities Act (ADA) went into effect on January 26, 1992. NVS offers attractive, durable signs needed to comply with ADA requirements. The signs feature 1/32" raised letters and Grade 2 braille.



WOMEN



Standard colors for copy or background

are: Navy, Forest Green, Burgundy, Pearl

Gray, Black, White, Brown, Beige, Yellow

• Injection molded frames are available for

TRUST

SERVICES

100

Pacific

GMAC

Vantage

Real Estate

all ADA signs in: Brown, White, Gray,

There are three price ranges available:

1 CUSTOM

Custom sizes and colors from your specifications Typestyles available include:

- Helvetica Medium
- Universal 65
- Avant Garde
- Optima
- Times Roman
- Arial

2 1/8" Thick Acrylic Plaques in Standard Sizes with any Text and Grade 2 Braille.

Standard sizes are: (height x width)

1-3/4" x 4" 2" x 4" 4" x 13" 9-1/8" x 9-1/8" 1-3/4" x 9" 4" x 4" 6" x 6" 12" x 12" 1-3/4" x 13" 4" x 9" 8" x 8"

Plaques are available with square corners or 5/16" radius corners. Choose from Helvetica Medium or Optima Medium typestyles.

3 STOCK SIGNS

1/8" Acrylic Plaques available with square corners or 5/16" radius corners. Helvetica Medium or Optima Medium letter styles.

Stock Pictograms

Raised text, pictograms and braille

6" x 6"









P1-6 SP2-6

6" x 9"

SP1-9



SP2-9







RESTROOMS SP6-9

Stock Copy Signs

and Red.

Black and Almond.

Mounting is pressure

concealed screws for

sensitive tape or

Catellus Development.

Corporation

Catellus Commercial Group

Catellus Residential Group

framed signs.

1-3/4" high x 9" wide. Raised text and Braille

SC1 Cafeteria SC11 Lockers SC2 Conference Room SC12 Lounge SC13 Men SC3 Elevator **SC4** Emergency Exit SC14 Office SC5 Entrance SC15 Restroom SC16 Restrooms SC6 Exit SC7 Fire Exit SC17 Restrooms < **SC8** Information SC18 Storage

SC9 Library SC10 Lobby SC19 Women

ACRYLIC SIGN COLORS

Color	Order#	Color	Order #	Color	Order#	Color	Order #	Color	Order #
White	A1	Dark Brown	A6	Sky Blue	B4	Maroon	C4	Light Gray	E1
Eggshell	A2	Black	A7	Ocean Blue	B5	Mauve	C5	Medium Gray	E2
Yellow	A3	Medium Blue	B1	Peach	C1	Forest Green	D1	Charcoal Gray	E3
Sand	A4	Dark Blue	B2	Salmon	C2	Seafoam Green	D2		
Taupe	A5	Turquoise Blue	B3	Red	C3	Agua Green	D3		

DIRECTORIES

100 Series Non-Illuminated Building Directory, Changeable Letterboard & Cork Bulletin Board

This aesthetic, top of the line 100 Series directory is designed for interior or exterior use.

Standard Features:

- Heavy-duty extruded aluminum frame in choice of four anodized finishes: Clear, Bronze, Gold and Black.
- 1/8" double strength tempered glass.
- · Surface or recess mounted.
- Weatherized for exterior use.
- Continuous piano hinge door with front tumbler lock & key.
- Freestanding and custom options available.
- Acrylic or Lexan may be substituted for glass.

Background Options:

- 1/2" h x 7-1/8" w acrylic name strips and a 4" header panel.
- Changeable letter board with a grooved felt background or non-fading vinyl for exterior use. Standard color is Black.
 Other colors available: Brown, Tan, Blue, Green, Red, Gray, Ivory and White. (See changeable letter sets on page 11)
- Tan cork bulletin board.
- A combination of backgrounds are available.





Sizes: N100-Name Strip Directory / B100-Cork Bulletin Board / C100-Changeable Letter Board



1 Door: Includes 4" Header Panel (s/c-strip capacity)

1 COLUM	ΛN		2 COLUM	N		3 COLUMI	N		4 COLUM	V		5 COLUM	N	
Style	Size	s/c	Style	Size	s/c	Style	Size	s/c	Style	Size	s/c	Style	Size	s/c
N100-1	10"x24"	34	N100-6	18"x24"	68	N100-11	24"x24"	102	N100-16	32"x24"	136	N100-21	39"x24"	170
N100-2	10"x30"	46	N100-7	18"x30"	92	N100-12	24"x30"	138	N100-17	32"x30"	184	N100-22	39"x30"	230
N100-3	10"x36"	58	N100-8	18"x36"	116	N100-13	24"x36"	174	N100-18	32"x36"	232	N100-23	39"x36"	290
N100-4	10"x42"	70	N100-9	18"x42"	140	N100-14	24"x42"	210	N100-19	32"x42"	280	N100-24	39"x42"	350
N100-5	10"x48"	82	N100-10	18"x48"	164	N100-15	24"x48"	246	N100-20	32"x48"	328	N100-25	39"x48"	410



200 Series Non-Illuminated Building Directory, Changeable Letterboard & Cork Bulletin Board

This affordably-priced directory features a handsome reveal within the frame, and is designed for interior use only.


Standard Features:

- Extruded aluminum frame in choice of four anodized finishes: Clear, Bronze, Gold and Black.
- 1/8" double strength tempered glass.
- Surface mounted.
- Concealed pivot hinged door with side tumbler lock & key.
- Freestanding and custom options available.
- Acrylic or Lexan may be substituted for glass.

Background Options:

- 1/2" h x 7-1/8" w acrylic name strips and a 4" header panel.
- Changeable letter board with a grooved felt background.
 Standard color is Black. Other colors available: Brown, Tan,
 Blue, Green, Red, Gray, Ivory and White.
 (See changeable letter sets on page 11)
- Tan cork bulletin board.
- A combination of backgrounds are available.





Please specify when ordering:

- Model number
- Frame finish
- Background

Sizes: N200-Name Strip Directory / B200-Cork Bulletin Board / C200-Changeable Letter Board

CUSTOM SIZES AVAILABLE UPON REQUEST.

1 Door	Style	Size (WxH)	Style	Size (WxH)	Style	Size (WxH)
	B200-1/C200-1	18"x24"	B200-4/C200-4	36"x36"	B200-7/C200-7	26"x14"
	B200-2/C200-2	20"x30"	B200-5/C200-5	36"x48"	B200-8/C200-8	16"x14"
	B200-3/C200-3	24"x36"	B200-6/C200-6	31"x14"	B200-9/C200-9	16"x20"

1 Door: Includes 4" Header Panel (s/c-strip capacity)

1 COLU	MN		2 COLUMI	N		3 COLUMN			4 COLUMN		
Style	Size	s/c	Style	Size	s/c	Style	Size	s/c	Style	Size	s/c
N200-	1 10"x24"	34	N200-5	18"x24"	68	N200-9	24"x24"	102	N200-13	32"x24"	136
N200-2	2 10"x30"	46	N200-6	18"x30"	92	N200-10	24"x30"	138	N200-14	32"x30"	184
N200-	3 10"x36"	58	N200-7	18"x36"	116	N200-11	24"x36"	174	N200-15	32"x36"	232
N200-	10"x42"	70	N200-8	18"x42"	140	N200-12	24"x42"	210	N200-16	32"x42"	280



DIRECTORIES

300 Series Non-Illuminated Building Directory, Changeable Letterboard & Cork Bulletin Board

This practical directory is ideal for every budget requirement and is designed for interior use only.

Standard Features:

- Extruded aluminum frame in choice of four anodized finishes: Clear, Bronze, Gold and Black.
- 1/8" double strength tempered glass.
- Surface mounted.
- Concealed pivot hinged door with front tumbler lock & key.
- Freestanding and custom options available.

Background Options:

- 1/2" h x 7-1/8" w acrylic name strips and a 4" header panel.
- Changeable letter board with a grooved felt background. Standard color is Black. Other colors available: Brown, Tan, Blue, Green, Red, Gray, Ivory and White. (See changeable letter sets on page 11)
- Tan cork bulletin board.
- A combination of backgrounds are available.

ON DUTY

OSCAR LOPEZ VICKI PASS FRANK ARAI TED BETTS JOE EVANS

MYRA DIX


Please specify when ordering:

- Model number
- Frame finish
- Background

Sizes: N300-Name Strip Directory / B300-Cork Bulletin Board / C300-Changeable Letter Board

1 Door Style Size (WxH) C300-1 11"x16" C300-2 15"x20" B300-1/C300-3 18"x24" B300-2/C300-4 20"x30" B300-3/C300-5 24"x36" B300-4/C300-6 36"x36" B300-5/C300-7 27"x33" B300-6/C300-8 33"x18" B300-7/C300-9 28"x18"

2 Doors Size (WxH) B300-8/C300-10 48"x36" B300-9/C300-11 60"x36" B300-10/C300-12 72"x36"



1 Door: Includes 4" Header Panel (s/c-strip capacity)

CUSTOM SIZES ARE ALSO AVAILABLE

1 COLUMN		2 COLUMI	N		3 COLUMI	N		4 COLUM	N		5 COLUM	N	
Style Size	s/c	Style	Size	s/c	Style	Size	s/c	Style	Size	s/c	Style	Size	s/c
N300-1 10"x24	" 34	N300-6	18"x24"	68	N300-11	24"x24"	102	N300-16	32"x24"	136	N300-21	39"x24"	170
N300-2 10"x30	" 46	N300-7	18"x30"	92	N300-12	24"x30"	138	N300-17	32"x30"	184	N300-22	39"x30"	230
N300-3 10"x36	" 58	N300-8	18"x36"	116	N300-13	24"x36"	174	N300-18	32"x36"	232	N300-23	39"x36"	290
N300-4 10"x42	" 70	N300-9	18"x42"	140	N300-14	24"x42"	210	N300-19	32"x42"	280	N300-24	39"x42"	350
N300-5 10"x48	" 82	N300-10	18"x48"	164	N300-15	24"x48"	246	N300-20	32"x48"	328	N300-25	39"x48"	410



400 Series Open Face Changeable Letterboard, Cork Bulletin Board & Dry Erase Board

Frame Styles:

- Aluminum frame unit with 1" aluminum frame in choice of four anodized finishes: Clear, Bronze, Gold and Black.
- Wooden frame unit with oak finish.

Background Options:

- Changeable letter board with a grooved felt background.
 Standard color is Black. Other colors available: Brown, Tan,
 Blue, Green, Red, Gray, Ivory and White. (See changeable letter sets on page 11)
- Tan cork bulletin board.
- White dry erase board.
- A combination of backgrounds are available.

Please specify when ordering:

- Model number
- Frame finish (for aluminum only)

SIGN UP NOW FOR
RECREATION AND LEISURE CLASSES
CONTACT YOUR LOCAL
COMMUNITY SERVICES DEPT
FOR MORE INFO



	CEU -	Aluminum frame with felt changeable letter background.
	BAU -	Aluminum frame with cork bulletin board background.
Styles:	DAU -	Aluminum frame with white dry erase background.
01,100.	CWD -	Wooden frame with felt changeable letter background.
	BWD -	Wooden frame with cork bulletin board background.
	DWD -	Wooden frame with white dry erase background.

Style	Size (WxH)
CEU400-1 / BAU400-1 / DAU400-1 / CWD400-1 / BWD400-1 / DWD400-1	20"x15"
CEU400-2 / BAU400-2 / DAU400-2 / CWD400-2 / BWD400-2 / DWD400-2	24"x18"
CEU400-3 / BAU400-3 / DAU400-3 / CWD400-3 / BWD400-3 / DWD400-3	30"x20़"
CEU400-4 / BAU400-4 / DAU400-4 / CWD400-4 / BWD400-4 / DWD400-4	36"x24"
CEU400-5 / BAU400-5 / DAU400-5 / CWD400-5 / BWD400-5 / DWD400-5	48"x36"
CEU400-6 / BAU400-6 / DAU400-6 / CWD400-6 / BWD400-6 / DWD400-6	60"x36"
CEU400-7 / BAU400-7 / DAU400-7 / CWD400-7 / BWD400-7 / DWD400-7	72"x36"
CEU400-8 / BAU400-8 / DAU400-8 / CWD400-8 / BWD400-8 / DWD400-8	60"x48"
CEU400-9 / BAU400-9 / DAU400-9 / CWD400-9 / BWD400-9 / DWD400-9	72"x48"
CEU400-10 / BAU400-10 / DAU400-10 / CWD400-10 / BWD400-10 / DWD400-10	96"x48"
CUSTOM SIZES ARE ALSO AVAILABLE UPON REQUEST.	

DIRECTORIES

500 Series Freestanding, Changeable Letterboard, Cork Bulletin Board Pedestal Units

Single Pedestal:

- Standard frame is 1" wide clear aluminum.
- Open face or glass enclosed styles.
- · Chrome stand.

Double Pedestal:

- Standard frame is 1" wide.
- Frame and pedestal are available in Clear, Bronze, Gold or Black.
- Open face or glass enclosed.

Pedestal units are available with a choice of background options:

- Changeable letter board with a grooved felt background or non-fading vinyl for
 exterior use. Standard color is Black. Other colors available are Brown, Tan, Blue,
 Green, Red, Gray, Ivory, and White. (See changeable letter sets on page 11.)
- Tan cork bulletin board.
- Acrylic (see colors on page 23)

Single i	Pedestal	Double Pedestal				
Style	Size (WxH)	Style	Size (WxH)			
S500-1	20"x15"	D500-1	20"x15"			
S500-2	24"x22"	D500-2	24"x22"			
		D500-3	22"x28"			

Please specify when ordering:

- Model number
- · Finish (double pedestal only)
- Background
- Open face or glass enclosed



CHOIR REHEARSAL

600 Series Surface Illuminated or Non-Illuminated Directory, Changeable Letterboard & Cork Bulletin Board



Sizes: N600 - Name Strip Directory B600 - Cork Bulletin Board

C600 - Changeable Letterboard

 Style
 Size (WxH)

 N600-1/B600-1/C600-1
 24"x36"

 N600-2/B600-2/C600-2
 30"x48"

 N600-3/B600-3/C600-3
 36"x48"

 N600-4/B600-4/C600-4
 48"x36"

 N600-5/B600-5/C600-5
 60"x48"

 N600-6/B600-6/C600-6
 72"x48"

 Custom sizes are also available upon request.

This attractive, durably constructed unit may be used indoor or outdoors.

Standard features:

- Heavy duty 4" deep aluminum frame in Clear, Bronze, Gold or Black finishes.
- Inset door on continuous piano hinge with tumbler lock & key.
- UL approved electrical components.
- Surface illuminated with lamps on top, bottom or both.

Background Options:

- 1/2"h x 7 1/8" w acrylic name strips and a 4" header panel. Other name strip sizes available.
- Changeable letter board with a grooved felt background or nonfading vinyl for exterior use. Standard color is Black. Other colors available are Brown, Tan, Blue, Green, Red, Gray, Ivory and White. (See changeable letter sets on page 11.)
- Tan cork bulletin board.
- A combination of backgrounds are available.
- Freestanding or wall-mounted.

Specify when ordering:


- Model number
- Frame Finish
- Background

DIRECTORIES

700 Series Rear Illuminated Directories

Standard Features:

- Three door styles:
 - A. Frameless glass door with reveal. Bottom lock.
 - B. Frameless glass door. Side lock.
 - C. Aluminum piano-hinged door, glass enclosed. Front lock. (See door styles below)
- Choice of frame finish: Bronze or Black.
- Internal illumination UL approved components.
- 1/4" double strength tempered solar bronze glass.
- · Surface or recess mounted.
- Interior use.
- Full set of 1/2"h x 7 1/8"w black acrylic engraved name strips and 3" header panel.



Please specify when ordering:

- Model number
- Frame finish
- Door style

7 COMPONENT

MAINTENANCE SQUADRON

C	100	-8
0	4	LU

	COLUMN		2	COLUMN		3	COLUMN		4	COLUMN	
Style	Size	S/C	Style	Size	S/C	Style	Size	S/C	Style	Size	S/C
700-1	12"x 18"	23	700-6	19"x 18"	46	700-11	27"x 18"	69	700-16	34"x 18"	92
700-2	12"x 24"	36	700-7	19"x 24"	72	700-12	27"x 24"	108	700-17	34"x 24"	144
700-3	12"x 30"	50	700-8	19"x 30"	100	700-13	27"x 30"	150	700-18	34"x 30"	200
700-4	12"x36"	62	700-9	19"x36"	124	700-14	27"x 36"	186	700-19	34"x 36"	248
700-5	12"x 48"	86	700-10	19"x 48"	172	700-15	27"x 48"	258	700-20	34"x 48"	344
_									_		
-	001111111			aar imin						COLUMN	
5	COLUMN		6	COLUMN		.7	COLUMN		8	COLUMN	
Style 5	COLUMN Size	S/C	Style 6	COLUMN Size	S/C	Style Style	COLUMN Size	S/C	Style 8	COLUMN Size	S/C
Style	Size	S/C	Style	Size	S/C	Style	Size	S/C	Style	Size	S/C
Style 700-21	Size 41"x 18"	s/c 115	Style 700-26	Size 48"x 18"	S/C 138	Style 700-31	Size 55"x 18"	s/c 161	Style 700-36	Size 62"x 18"	s/c 184
Style 700-21 700-22	Size 41"x 18" 41"x 24"	S/C 115 180	Style 700-26 700-27	Size 48"x 18" 48"x 24"	s/c 138 216	Style 700-31 700-32	Size 55"x 18" 55"x 24"	s/c 161 252	Style 700-36 700-37	Size 62"x 18" 62"x 24"	s/c 184 288
700-21 700-22 700-23	Size 41"x 18" 41"x 24" 41"x 30"	s/c 115 180 250	700-26 700-27 700-28	Size 48"x 18" 48"x 24" 48"x 30"	s/c 138 216 300	Style 700-31 700-32 700-33	Size 55"x 18" 55"x 24" 55"x 30"	s/c 161 252 350	700-36 700-37 700-38	Size 62"x 18" 62"x 24" 62"x 30"	s/c 184 288 400



800 Series Contemporary Acrylic Directories

Standard Features:

- Constructed of 1/8" acrylic changeable strips and header panel mounted to a 1/8" acrylic backplate.
- Radius or square corners.
- Straight, beveled or bullnose edges.
- Matte or polished finish.
- Optional aluminum frame in clear Satin, Bronze, Black or Gold finish.
- Available with or without 1/8" reveal between strips.
- Colors: see page 23.
- Mounting methods: screw mount or adhesive tape.

120	FIRST FLOOR	
100	Magle - Ireland, Inc.	
110	Opus 119 - the school of music	
120	Imicron Technology	
140	Dental Care Yes Finance	
150	Pacific Dental University	
180		
	SECOND FLOOR	
	Pacific Dental Services	
	Pacific Delital Del Flees	
	The state of the s	
	2860 Michelle Drive • Irvine, California	-
	Professionally Managed by:	
	Kahl & Govela Commercial Real Estate 949-376-1100	

Please specify when ordering:

- Model number
- · Straight, beveled or bullnose edge
- · Radius or square corners
- · Matte or polished finish
- · Frame desired? If yes, specify finish
- · Reveal or no reveal between strips
- Color
- Mounting method
- Graphics (see page 23)

SIZES

Style	# of columns	strip size (HxW)	overall size (HxW)	s/c*	header (HxW)
N800-1	2 3	1" x 15"	22" x 15"	16	4" x 15"
N800-2		1" x 15"	22" x 30"	32	4" x 30"
N800-3		1" x 15"	22" x 45"	48	4" x 45"
N800-4		2" x 15"	21-1/8" x 30"	20	6" x 30"**

(CUSTOM SIZES ARE AVAILABLE)

*Strip Capacity with reveals

** with separate header

Directory Name Strips

- The standard NVS name strip for illuminated and non-illuminated directories is 1/2" x 7-1/8". (Series 800 not included)
- Color: Black with White copy.
- Letterstyle: Helvetica capitals or upper/lower case.
- Silkscreened, engraved or pressure sensitive vinyl lettering is available.

Changeable Letters for Boards

- Changeable letters are offered in sizes of 1/4", 1/2" and 1" and in sets of 200, 300, 400, 500 and 1000 letters and numerals. Compartment box included.
- Three letterstyles are available:



B



- Standard color is White (custom colors are available).
- Punctuation and special symbols are also available. Order separately; not included in sets: periods, commas, dashes, question marks, percent signs, diagonals, dollars, cents, arrows, small stars, large stars, number signs, underlines and vertical lines.

NVS

LETTERS

ACRYLIC CUT-OUT LETTERS

These letters are for interior and exterior use

Features & Options:

- Colors:
 - Black, Architectural Brown, Clear, Medium Blue, Navy Blue, Light Grey, Red, Orange, Yellow, Green, Gold, Burgundy and White
- Letterstyles see page 23
- Mounting Methods:
 - Acrylic cut-out letters are normally adhesive mounted (not included). Pin mounting is available upon request for heights of 2" and above.
- Sizes: In heights from 1" to 24" In thicknesses of 1/8", 3/16", 1/4", 3/8", 1/2", 3/4" and 1"
- Custom sizes, colors, designs and letterstyles are available.





Please specify when ordering:

- Letter color
- Letterstyle
- Size (height x depth)
- Message (please type or print legibly)
- Mounting Method

METAL FACE CUT-OUT LETTERS ON ACRYLIC BACKING



Please specify when ordering:

- Letterstyle
- Size (height x depth)
- Metal Face Finish
- Edge Color
- Message (please type or print legibly)
- Mounting Method

These letters are for interior and exterior use. They are precision cut from .032 inch metal laminated to an acrylic backing.

Features & Options:

- Metal Face Finishes: Satin or polished aluminum Satin or polished brass
- Edge Color: Black or Clear
- Mounting Methods:
 These letters can be mounted with adhesive.
 Pin mounting is available upon request.
- Letterstyles see page 23
- Sizes: In heights from 1" to 24" In thicknesses of 1/8", 1/4" and 1/2"
- Custom sizes, colors, designs and letterstyles are available.

LETTERS

METAL CUT-OUT LETTERS

These letters are for interior and exterior use

Features & Options:


- Material: Aluminum, Bronze, Stainless Steel, Brass or Copper
- Finishes:
 - Satin or Polished
 - Duranodic
 - Clear or Black anodized
 - Enamel painted in: Black, White, Gold, Ivory, Light Grey, Dark Grey, Light Bronze, Medium Bronze, Dark Bronze, Medium Blue, Dark Blue, Red, Medium Green, Dark Green, Dark Brown. Other colors available upon request.
- Letterstyles see page 23
- Mounting Methods see chart below
- Sizes Heights from 2" to 24"; Depths of 1/8", 1/4", and 1/2"
- Custom sizes, colors, designs and letterstyles available.

Please specify when ordering:


- Alloy
- Finish
- Letterstyle
- Mounting Method
- Size (height x depth)
- Message (please type or print legibly)










MOUNTING METHODS





Type C: Adhesive applied to back of letter. (no stud)







FABRICATED LETTERS

Fabricated letters provide the opportunity for depth and dimension when larger size letters are required. They are suitable for interior or exterior use. Halo lighting, utilizing neon tubing or LED's are also available.

Please specify when ordering:

- Alloy
- Mounting Method
- Finish
- Size (height x depth)
- Letterstyle
- Message (please type or print legibly)


CUSTOM SIZES, FINISHES, DESIGNS AND LETTER STYLES ARE AVAILABLE

Features & Options:

- Choice of alloys aluminum, stainless steel, brass.
- Heliarc welded constuction
- Hollow design which allows for face or back lighting.
- Choice of finishes:
 - Satin or Polished
 - Duranodic
 - Clear or Black anodized
 - Enamel painted in: Black, White, Gold, Ivory, Light Grey,
 Dark Grey, Light Bronze, Medium Bronze, Dark Bronze,
 Medium Blue, Dark Blue, Red, Medium Green, Dark
 Green, Dark Brown. Other colors available upon request.
- Letterstyles see page 23
- Mounting Methods see chart at right
- Sizes see chart below

leight	Depth: 1"	11/2"	2"	3"	4"	5"	6"
6"	X	X	X				
7"	X	X	X				
8"	X	X	X	X			
9"	X	X	X	X			
10"	X	X	X	X	X		
11"	X	X	X	X	X	X	X
12"	X	X	X	X	X	X	X
14"	X	X	X	X	X	X	X
16"	X	X	X	X	X	X	X
18"	X	X	X	X	X	X	X
20"	X	X	X	X	X	X	X
24"	X	X	X	X	X	X	X
30"		X	X	X	X	X	X
32"		X	X	X	X	X	X
36"		X	X	X	X	X	X
42"		X	X	X	X	X	X
48"		X	X	X	X	X	X

MOUNTING METHODS



LETTERS

FOAM LETTERS

FOAM LETTERS WITH ACRYLIC FACE

FAMILIA CORPORATI





FOAM LETTERS WITH METAL FACE

These letters are for interior and exterior use

Features & Options:

- Foam is available in 1", 2", and 3" thicknesses.
- Acrylic face or metal face are optional.
- Colors:
 - Foam letters and/or acrylic faces: Black, Architectural Brown, Light Grey, Red, Orange, Yellow, Medium Blue, Navy Blue, Gold, Burgundy and White.
 - Metal faces: Satin or polished brass; satin or polished aluminum.
 - You may "mix and match" colors on letter faces and returns
- Letterstyles see page 23
- Mounting Methods Adhesive mounted (not included).
- Sizes Heights from 2" to 24"; Depths of 1", 2", or 3"
- Custom sizes, colors, designs and letterstyles available.

Please specify when ordering:

- Letter color
- · If ordering acrylic or metal face, please specify color
- Letterstyle
- Size (height x depth)
- Message (please type or print legibly)

PRESSURE SENSITIVE VINYL LETTERING

These letters are for interior and exterior use. Messages are computer cut on pressure sensitive vinyl. The messages are supplied pre-spaced and pre-aligned for easy application to walls or any smooth surface. Vinyl messages are offered in reverse cut for application to inside of windows and other glass surfaces.





Features & Options:

- Sizes: 1/2" to 30"
- Colors:
 - White, Black, Brown, Blue, Dark Blue, Yellow, Red, Burgundy, Light Blue, Silver, Gold, Green, Beige, Orange.
- Letterstyles see page 23
- Custom sizes, colors, designs and letterstyles available.

Please specify when ordering:

- Color
- Letterstyle
- Size
- · Regular or reverse cut letters
- Message (please type or print legibly)

LETTERS

CAST LETTERS

These letters are for interior and exterior use.

The ultimate in elegance, quality and life-long performance. Whether bronze, aluminum, or other specified alloys, National Visual Systems' cast letters are ideal for building and office indentification. Their traditional and highy prestigious appeal enhances the image of any organization that uses them.

Features & Options:

- Choice of finishes:
 - Satin or Polished
 - Duranodic
 - Clear or Black anodized
 - Painted Enamel
- Letterstyles see below
- Mounting Methods see below
- Custom sizes, colors, designs and letterstyles are available

Please specify when ordering:

- Alloy
- Finish
- Letterstyle
- Size
- Message (please type or print legibly)





MOUNTING **METHODS**

Adhesive

Type A

Flush mounting with studs set in adhesive cement.

Type B



Projected mounting with stainless steel iamb nut, studs set in adhesive cement.

Type C

Adhesive applied to back of letter. (No stud)

CAST **LETTERSTYLES**

- Century Bold: ABCDE abcde
- · Architectural / Prismatic: ABCDE
- Optima: ABCDE abcde
- · Times Bold: ABCDE abcde
- Times New Roman: ABCDE abcde
- · Casion Bold: ABCDE abcde
- · Garamond Bold: ABCDE abcde
- Futura: ABCDE abcde
- Goudy Bold: ABCDE abcde
- · Helvetica Medium: ABCDE abcde
- Palatino: ABCDE abcde
- University Roman: ABCDE abcde
- · Claredon Medium: ABCDE abcde
- Eurostile Bold Extened: ABCDE abcde

MWS CAST PLAQUES

Distinguished looking cast plaques are ideal for honoring or commemorating an individual, group, place or event. Available in many different styles to accommodate the most distinguished of tastes.

Features & Options:

Material

Bronze or Aluminum

Sizes

Cast plaques are available in virtually any size to suit your requirements.

Finishes

Raised areas are either satin finish or mirror buffed. Background and vertical surfaces are either natural, oxidized or painted a standard color.

Textures

Pebble Leatherette Sand

• Standard Letterstyles:

Avant Garde:

ABCDE abcde

Clarendon:

ABCDE abcde

Times Roman:

ABCDE abcde


Helvetica:

ABCDE abcde

Helvetica Condensed: ABCDE abcde

Optima:

ABCDE abcde



Background Textures








Leatherette


Pebble

Border Styles




Beveled Edge





Single Line Edge



Single Line - Beveled Edge




Protected Single Line - Beveled Edge

CAST PLAQUES

Mounting Methods:




Blind Mount - Stud is on back of plague and is set in cement.



Solid Wall Mount - Screw is inserted through plaque into anchor. Rosettes optional.



Hollow Wall Mount - Screw is inserted through plaque into anchor. Rosettes optional.






Wood Wall Mount -Woodscrew is inserted through plaque into anchor. Rosettes optional.




Custom Capabilities

Contact us at (714) 891-2670 or (800) 788-2670 for custom specifications including logos, portraits, typestyles, finishes, sizes, shapes, etc.







To order, please specify the following:

- · Bronze or aluminum cast plaque
- Size
- Texture
- Finish
- Border style
- Installation method (specify if rosettes are desired)
- Letter style
- Copy, copy layout and copy size (letters must be at least 1/4" in height). Please send typewritten copy or camera-ready black and white artwork.



CODE SIGNS

National Visual Systems can provide virtually an type of code sign you may need. Many of the code signs do not have color requirements and can, therefore, be made to coordinate with other signage and building interiors. Contact us to discuss your special requirements.

Emergency Evacuation Plan Signs

These signs indicate exit routes, fire alarm and extinguishers and emergency instructions for each floor of your building.

"In Case of Fire" Signs

Restroom Signs

To comply with California Title 24 requirements, these signs are of 1/4" acrylic. The "men/boys" sign is a 12" equilateral triangle; the "women/girls" sign is 12" diameter circle. The "unisex" sign consists of the triangle and circle signs superimposed.

Maximum Occupancy Signs

Stairwell Identification

Indicates stair number, floor number, floors of stairwell access and roof or no roof access. Standard size is 12" x 12".

"Stairs" Sign

Identifies stairwell door.

No Smoking Sign

Municipal codes can be included upon request.

California Proposition 65 Signs

To post wherever there is a harmfull substance per Proposition 65.

"This Door to Remain Unlocked During Business Hours" Sign

To mount over main entry doors. Standard size is 1.5" h x 24" w.

Building Address Numbers

Available in metal, foam, acrylic or other materials. Please refer to the "Letters" section.

Exit Signs

Non-illuminated. Letters must be 6" high with a 3/4" stroke. Exit signs may be flush or flag wall mounted, or ceiling mounted.

Traffic Signs

Complete range of traffic signs – i.e. Stop signs, Fire Lane signs, parking signs and other traffic warning signs. Most are available in porcelain enamel or aluminum and may be wall or post mounted. Square, round or U-channel posts available.

Handicapped Signs (to comply with California Title 24 code)

- Parking entry sign: 30"h x 18"w (with symbol) or 24"h x 18"w (without symbol). In blue with white graphics.
- Parking stall sign: 10"h x 7"w or 18"h x 12"w. In blue with white graphics. May be wall or post mounted. Square, round or U-channel posts are available.
- Handicapped Access Entry sign: In 6"x6" or 12"x12". Blue with white symbol. A 5"x5" decal is also available.



STAIRS











MISC. EXTERIOR SIGNS

MDO Signs

This durable material is ideal for real estate signs, construction signs, regulatory signs, temporary signs and general information signs.

Sandblasted Wood Signs

Sandblasted wood signs are an attractive addition to almost any environment. These signs are especially popular in apartment and residential complexes, parks, motels and retail centers. Call us to discuss your requirements.

Electrical Signs

NVS offers electrical sign cabinets in materials such as aluminum and sheet metal. Sign faces are of acrylic or metal. The internal illumination makes these an attractive choice – day or night.

Aluminum Wall Mounted Signs

Our aluminum wall mounted signs are available in virtually unlimited sizes and shapes. They may be used as single or multiple face units, flat against or projecting out from the wall. Removable panels with concealed hardware can also be incorporated into the signs.

Features & Options:

• Finishes:

Satin Aluminum, Bronze Painted Black, Dark Brown, Medium Blue, White or any PMS color

• Graphic Application:

Non-illuminated:

Vinyl or silkscreened graphics. (See pg. 23)

• Panel Sizes:

height - any size up to 48" width - any size up to 48" depth - flat, 1" or 2"


Mounting Methods:

Screw mount. Flat panel signs may also be adhesive mounted.


 Custom sizes, designs, finishes and illuminated models are available.

Please specify when ordering:

- Size (height x length x depth)
- Finish
- Mounting method
- Graphics (see page 23)



POST & PANEL SIGNS



Please specify when ordering:

- Panel size
- Reveal position
- Post style
- Post length
- Color
- Graphics (see page 23)

700 Series Post and Panel Signs

Features & Options:

- Five post options. Double "wrap around" posts below the panel are available.
- Offers three reveal positions: no reveal, 1/2", 1"
- Single or double faced signs.
- Removable fitted caps allow faces to slide up and out from posts.

• Finishes:

Satin aluminum or Bronze anodized; Painted Black, Dark Brown, Medium Blue, White or any PMS color.

• Graphic Application:


Vinyl or silkscreened graphics. See page 23.

Panel Sizes:

See chart below.


Post Length:

To determine length of posts, add total height of sign panel + grade to bottom of sign + depth of post in ground = total height of posts.



Removable Caps:

· Allows panels to slide up and out from posts



Five Post Shapes Available:

- Rectangular
- Rectangular with softened edges
- Triangular
- Triangular with
- softened edges
- Radius

Featuring:

· Below the panel filler system

							PANI	EL SIZ	ES					
:	w:	18"	24"	30"	36"	48"	60"	72"	84"	96"	108"	120"	132"	144"
2"			х		X	X	х	х	х	х				
3"		x	X	х	х	х	х	х	х	x				
"			х	х	х	х	х	х	х	х	X	х		
99				х	х	х	х	х	х	х	х	х		
"					х	х	х	х	х	х	х	Х	х	х
3"						X	X	х	х	х	х	X	X	х

CUSTOM SIZES ARE ALSO AVAILABLE

MONOLITHS

Monolith signs are used primarily for corporate or building identity, as well as various directional,




Each monolith is custom built to your specifications and is available in illuminated or non-illuminated styles.

Contact us to discuss your requirements. Together, we can design a sign to meet your needs, budget and code regulations.

SAN REMO VILLA

RAPHICS

Copy Placement:



Silk-Screened Colors

- White
- Lt Grav
- Ivory Black
- Med Gray
- Burgundy
- Dk Brown
 Yellow
- Orange • Dk Green

Burgundy

- Royal Blue Red
- Teal
- Silver

Beige

Orange

Salmon

• Fire Red

Vinyl Letter Colors

- White
- Dk Blue
- Black Brown

Blue

- Lt Blue Yellow

 - Red
- Silver
- Gold
- Green

Lettering Methods

Silkscreening - on surface of sign.

Silkscreening - on back of sign (sub-surface). Vinyl graphics.

Standard Letterstyles

- Brush Script: ABCDE abede
- Optima: ABCDE abcde
- · Optima Semi-Bold: ABCDE abcde

- · Clarendon Bold: **ABCDE** abcde
- · Palatino: ABCDE abcde
- Helvetica Medium:
- · Times Bold:

ABCDE abcde ABCDE abcde

Lettering Heights

Silkscreening: 1/4" to 12" Vinyl graphics: 1/2" to 30"

Please specify when ordering copy (letters, numbers, symbols):

- Lettering method
- Letter height
- Letter style
- Letter color
- Capitals or upper/lower case copy
- Message placement
- Margin distance
- Interline spacing (between lines)
- · Arrow or symbol size, location and color
- Message for clarity, please type or print legibly (If none is specified, the standard margins and interline spacing will be used)

International Symbols & Arrows



How to Determine Letter Spacing

As a general rule for capital letters, use the number of characters per line x height of letter to determine required length of sign. Count spaces as a character. Add space for left and right margins (i.e. - 1" each margin). Count 1/2" space for punctuation marks. Lower case letters generally take up 25% less linear space than capital letters.

(Tip: Calculate length required for capital letters, then multiply by .75. Add desired margin lengths.) Adjust for condensed or extened letterstyles.



ORDERING INFORMATION

- To order, please print out and complete the form below or provide the same information on your company letterhead.
 Fax to NVS at (714) 898-9034 or mail to NVS at 5482 Oceanus Drive, Unit G, Huntington Beach, CA 92649.
- To obtain information or price quotations call (714) 891-2670 or (800) 788-2670, fax us at (714) 898-9034, or write to us
 at the above address.
- Terms: 50% deposit with balance C.O.D. With established credit, terms are 50% deposit with balance net 30 days. Past due invoices will be charged a 1-1/2% monthly finance charge.
- . Minimum order: \$50.00.
- Shipment is made F.O.B. Huntington Beach, CA. Merchandise is delivered to the carrier in good condition.
 Claim for damage or loss must be made with the carrier.
- Unless specific instruction is given, all orders will be shipped by the most appropriate method.
- Changes of orders, cancellations and returns are not acceptable without approval of NVS and are subject to an additional charge.
- · Delivery time varies with each product. Contact NVS for information.

		Orde	er Form			
Sold to:			Ship to:			
Attention	A ME AND Clarical And Develope May be that with the assessment and assessment and assessment and assessment assessment and assessment assets assessment assets assessment assets assessment assets as	Telephone		Attention		Telephon
Authorized Signature:	- 1110-11-11-11			Title:	Date:	/ /
nstall/Ship/Will Call		Deposit & Terms	Gustomer Ord		Project Reference	
ITEM NO.	QTY	DESCRIPTION (Provide model no.,	if applicable, all	necessary specifical	tions and/or a rough sketch.)	

				A STATE OF THE STA		
				- # A Property 11		(-10,000